

Peripherals

2009

contents

46 PowerPRO Surge
- Home & Office
- Mobility
- Audio/Video

48 Power Protection
- UPS
- Power Supplies
- Adapters

49 Keyboards

50 Mice

51 USB Peripherals
- USB Hubs
- Bluetooth
- Card Readers
- Enclosures
- Graphic Tablets
- Ethernet Adapters
- Active Cabling

54 Multimedia/Input Devices
- Video Switches
- Barcode Scanners
- TV Tuners

55 Output Devices
- DVI/HDMI/VGA Switches

56 IOGear
- Mice & Keyboards
- Bluetooth
- USB Peripherals
- Firewire
- KVM Switches & Cables
- Video Splitters

© 2009 Tomauri Inc. All Rights Reserved

SURGE PROTECTORS - HOME & OFFICE

34612

6 | 4 FT PD

- 6 outlet powerbar
- Integrated On/Off switch

34603

6 | 350 Joules | 6 FT PD

- 30000 Amp maximum spike protection
- Child protection safety covers
- Integrated On/Off switch

34586

7 | 1050 Joules | 6 FT PD

- Includes 3 outlets with extra space for bulky adapters
- 39000 Amps maximum spike protection
- Phone line protection, EMI/RFI Noise Filter
- Child protection safety covers, flat offset plug

34608

8 | 2160 Joules | 6 FT PD

- Includes 6 180 degree rotating outlets & 2 fixed outlets
- 144000 Amps maximum spike protection
- Phone line protection, EMI/RFI Noise Filter
- Child protection safety covers. flat offset plug
- Cable management

34605

10 | 2880 Joules | 8 FT PD

- Includes 5 90 degree rotating outlets & 5 fixed outlets
- 192000 Amps maximum spike protection
- Phone/Network protection, EMI/RFI noise filter
- 24K Gold Cable/DSS protection
- Child protection safety covers. flat offset plug
- Cable management

34606

12 | 4320 Joules | 8 FT PD

- Includes 8 90 degree rotating outlets & 4 fixed outlets
- 288000 Amps maximum spike protection
- Phone/Network protection, EMI/RFI noise filter
- 24K Gold Cable/DSS protection
- Child protection safety covers, flat offset plug
- Cable management

POWERPRO™

When it comes to protecting your equipment in your home or office environment from powerful surges, choose PowerPRO Surge Protectors to get the job done!

Not only are our surge protectors manufactured with superior circuitry and engineering, but they are functional and well-designed. Rest assured, PowerPRO adds convenience, functionality, and most importantly protection to your home or office environment!

Free Cables included with 34605 & 34606

OUR COMMITMENT TO THE ENVIRONMENT

BlueDiamond™ is committed to the continuous improvement and environmental compatibility of its products. This BlueDiamond™ package is environmentally friendly and 100% recyclable and recirculable.

© 2009 Tomauri Inc. All Rights Reserved

POWER PROTECTION

SURGE PROTECTOR - MOBILE

TRAVEL



POWER SOURCE

TRAVEL SURGE PROTECTOR - 4 OUTLET

34748

4 | 12 IN P

- Prevents damage to electrical equipment from all sources
- The power cord packs within the unit, eliminating cable mess while traveling
- Electrical Rating: 125V, 60Hz, 10A, & 1250W
- Compact size is perfect for traveling

SURGE PROTECTOR - AUDIO / VIDEO

A/V SURGE SUPPRESSOR

34746

3 | 1080 JOULES | 70DB | 70DB

- New X3 MOV (Metal Oxide Varistor) Technology
- Surge protected indicator
- Includes one 90 degree rotating outlet and 2 fixed outlets
- 90 degree rotating gold-plated coax/DSS connectors
- High frequency capacitor
- 72000 Amps maximum spike protection

POWERPRO MERCHANDISING PROGRAM!

SEE PAGE 5

FOR MORE INFORMATION

POWER STRIP - MOBILE

TRAVEL



WALL TAP



POWER SOURCE

TRAVEL POWER STRIP - 3 OUTLET

34751

3 | 8 IN P

- Creative Design easily converts power strip type to a wall tap
- Foldaway power cord design neatly stores cable away
- Compact size is perfect for traveling

SURGE PROTECTION

9 OUTLET SURGE PROTECTOR

1984 10ft power cord

- Prevents damage to electrical equipment from surges including lightning, company switching, etc.
- Eliminates electrical noise which interferes with data transmission
- 3150 Joules
- Convenient Phone/Modem Connector
- Protects the Direct Broadcast Satellite Systems
- Safety cover - each outlet has a sliding slot cover
- Indicator lights show the surge protection is in full force
- 45 degree flat angle plug
- Great for home and office
- Bilingual retail packaging

SURGE STRIP - 6 OUTLET

34761 2.5ft Power Cord

- 15 A / 125 V / 60 Hz / 1,875 W maximum load
- Power switch with integrated circuit breaker and reset button
- 90 Joules
- 3-prong grounded; 90-degree plug

© 2009 Tomauri Inc. All Rights Reserved

POWER

UPS

400VA/200W UPS

34351 3 Outlets, 2 Backup, 1 Surge

- Recharge time: 16 hours to 90% after complete discharge.
- Audible alarm and LED indicators and 12V Battery
- RJ-45 Cable Surge Protection
- Input voltage: 110/120VAC, Voltage range: 90-145VAC
- Output voltage: 110/120VAC ± 10%
- Output frequency: 50Hz or 60Hz ± 1Hz

$100,000 Connected Equipment Guarantee!
(US & Canada Only)

LINE INTERACTIVE UPS

3805 - 6 Outlets

- Advanced protection for PC and Macintosh systems against power outages, sags, surges and line noise
- Built-in microprocessor maintains proper charge and provides diagnostics to help extend battery life
- Cold start capability provides temporary battery backup during power disruptions
- 220 Joules surge protection
- Circuit breaker protection offers quick recovery from overload and short circuit events
- LED and audible alert system helps monitor critical functions
- $100,000 connected equipment guarantee (US and Canada only)

POWER SUPPLIES

POWER SUPPLIES

3768 500 Watt 3770 600 Watt

- Provides a steady, safe and reliable power source
- Ideal for new systems, replacement or upgrade applications
- Internal fan delivers quiet and efficient cooling
- Short circuit protection prevents power sag & spike damage
- Multiple built-in connectors allow quick peripheral installation
- Voltage: 90 – 132 V AC (120 V model); 180 – 264 V AC (230 V model)
- Dimensions: 150 x 140 x 86 mm (6 x 5.5 x 3.5 in)
- Efficiency: 70% at full load
- External Ports: 1 input and 1 output power
- Current (max): 8 A RMS (120 V model); 6 A RMS (230 V model)

POWER SUPPLY TESTER

7213 Digital

- Diagnose power supply units – avoid system damage and data loss
- Voltage indicator safely and accurately detects voltage presence
- Easy-to-read, backlit LCD display with alarms and LED indicators
- Sturdy, lightweight and compact aluminum case

TRAVEL

INTERNATIONAL TRAVEL ADAPTER WITH LOCK

2935

- Four AC power adapters in one - North and South America, UK, Australia, New Zealand, Europe
- Adapter's safety feature temporarily locks out the alternate plug settings
- Adapter does not convert voltage
- Child protection safety shutter

NOTEBOOK POWER ADAPTERS

3741 - 90 watt 3801 - 120 watt

- Universal AC input provides a broad, mobile power solution
- Power factor correction reduces energy loss
- Convertible DC plug tips ensure proper polarization and fit
- Lightweight and compact design easily stores for travel

POWER ADAPTERS

AC-DC POWER ADAPTERS

3501 6V DC, 300mA
3502 6V DC, 500mA
3503 6V DC, 1000mA
3504 6V DC, 1500mA
3505 9V DC, 300mA
3506 9V DC, 500mA
3507 9V DC, 1000mA
3508 9V DC, 1500mA
3509 12V DC, 300mA
3510 12V DC, 500mA
3512 12V DC, 1500mA

- Non-regulated
- Center positive

© 2009 Tomauri Inc. All Rights Reserved

KEYBOARDS

MOBILE KEYBOARDS

USB/ PS/2 ROLL-UP KEYBOARD
2608
- Great for travellers or service techs
- Roll up for easy storage

USB KEYPAD
34686
- Asynchronous
- Full-size keys for ease of use
- Ultra-slim and lightweight for portability
- LED indicator for Number Lock

KEYBOARDS

DELUXE MULTIMEDIA KEYBOARD
2612 USB and PS/2
- Modern design with sliding scroll bar controller
- Hot keys for Microsoft Office, Internet and other applications

KEYBOARDS
34570 USB/PS/2, Black
- Compact size
- USB with bonus PS/2 adapter

FRENCH KEYBOARDS
34546 USB/PS/2, Black
- Compact size
- USB with bonus PS/2 adapter

SAITEK KEYBOARDS

WIRELESS ECLIPSE KEYBOARD
34775
- Switchable Multi Function Touch sensitive display panel
- Hot Keys & Multi Media Function
- Wireless, with a rechargeable power source
- Wireless and Battery power indicators
- Power management system & Intelligent Lighting

CYBORG KEYBOARD
34633
- 12 programmable 'C' keys with 3 modes of programming
- Tri-colour backlighting with TruVu illumination
- WASD, Cursor and 'C' keys can be lit independently from the rest of keyboard
- Replacement hard-wearing keycaps for WASD and Cursor keys
- Adjustable rake angle – unique clutch mechanism

EXPRESSIONS COLLECTION
34887 Keyboard
34888 Optical Mouse & Mousepad
34889 USB Speakers
3844 Web Camera with Headset
3845 4 Port USB 2.0 Hub
- A range of notebook products to complement and enhance your home or work environment.
- Designs that mirror parallel trends in other fashion areas for matching accessories

ECLIPSE I/II BACKLIT KEYBOARDS
2947 Eclipse I - Blue 34354 Eclipse I - Red
34386 Eclipse II - Red, Blue, Purple
- Patented TrueVu key illumination
- 3 lighting levels - high, low and off
- A true zero-light keyboard with illuminated letters

ECLIPSE III BACKLIT KEYBOARD
34814
- Backlighting with choice of three colours (Blue, Red, Purple)
- Two stage Height adjustment & removable wrist rest
- Pass through Audio ports for Headset (3.5mm Jack)
- Windows & Internet shortcut keys
- Touch sensitive control panel (Lighting and Multi Media)

© 2009 Tomauri Inc. All Rights Reserved

MICE

USB OPTICAL MICE

OPTICAL USB/PS2 SCROLL MOUSE
34725 6ft cable
- 800dpi resolution
- 3 buttons with scroll wheel
- Optical sensor technology for precise movement
- Bonus PS/2 Adapter

OPTICAL USB SCROLL MOUSE
34745
- 800dpi resolution
- 3 buttons with scroll wheel
- Optical sensor technology for precise movement
- Compatible with Windows98/98se/2000/ ME/XP/Vista, Mac OS 9 or higher

IOGEAR LASER MOUSE
34238
- Advanced laser technology provides 30x more accuracy
- Super high resolution of 1600dpi
- Ergonomically contoured design
- Use this mouse on almost any surface including opaque glass

MINI OPTICAL RETRACTABLE MOUSE
34741 USB
- Ultra compact, with no-slip texture
- Retractable reel maintains desired length, reduces tangle and stores cable for travel

WIRELESS MICE

ECLIPSE WIRELESS MOUSE
34816 Wireless
- 5 buttons
- 2.4GHz wireless 10m range
- Optical technology
- Stored Nano Dongle with Auto off switch
- Long Battery life

OBISIDIAN MOUSE
34654 Wireless
- 5 buttons, scroll, rechargeable batteries, 10m wireless range
- 1000dpi optical sensor
- Includes charging dock, 2 batteries

OPTICAL MINI MOUSE
34742 Wireless
- Auto power management and detach-able cable
- Recharges while in use
- 1.5m wireless range, onboard storage

SAITEK MICE

OPTICAL USB PHOTO MOUSE
34724
- Quick and easy photo insertion
- White spotlight illuminates picture
- 3 button, scroll wheel with optical sensor

COLOURFUL MICE
34278 Green 34279 Yellow
34280 Pink 34281 Orange
34690 Turquoise 34691 White
- 800dpi Optical Sensor
- Three Buttons and rubberized non slip Scroll Wheel

CYBORG GAMING MOUSE
34655 3200 DPI laser
- Features adjustable rate scroll wheel, programmable low-profile 4-way hat switch and two additional programmable buttons
- Adjustable size to fit user's exact hand



ECLIPSE II MOUSE
34815 Wired
- 5 buttons
- Wired, optical technology
- 4-way tilt scroll wheel with detent mode and free scroll
- 3 colour lighting to match Eclipse II

GRAPHIC TABLETS

GRAPHICS TABLET
3681 Tablet: 5.5 inches x 4 inches
- Wireless pen and 2-button scroll mouse
- USB connectivity for ease of use
- Stylus has 1024 levels of pressure
- Quickly and easily edit draw and write
- Large tablet has pen with 3 tips

3682 Large Tablet: 8 inches x 6 inches

REPLACEMENT PEN
3683
- Replacement pen for Manhattan Graphics Tablets

© 2009 Tomauri Inc. All Rights Reserved

USB PERIPHERALS

USB HUBS

4 PORT MINI HUB
3802 USB 2.0 (Bus Powered)
- Adds 4 USB 2.0 Hi-Speed Ports
- Supports Data Transfer Rate of up to 480Mbps
- Slim and Lightweight Design
- Easily Portable
- Dimensions : 42mm x 42mm x 9.5 mm

4 PORT POCKET HUB
3771 USB 2.0 (Bus Powered)
- Provides 4 bus-powered USB ports for additional peripherals
- Built in self storing USB cable ideal for notebooks with rear-mount ports
- Plug and Play - Windows/Mac

4 PORT MICRO HUB
3772 USB 2.0
- Compact size ideal for both desktop and notebook computers
- Over-current protection; hot-swappable
- Compatible with all USB equipped computers
- Plug & Play - Windows/Mac
- Includes AC Power with adapter

4 PORT SWIVEL HUB
3843
- Adds 4 USB 2.0 Hi-Speed Ports
- Supports Data Transfer Rate of up to 480Mbps
- Custom positioning with swiveling ports

INTERNAL BAY HUB
3617 USB 2.0
- Mounts in any 3.5" drive bay
- Overcurrent protection
- Compatible with all USB-equipped computers

4 PORT SHARING HUB
3523 USB
- Includes USB A to B cables and power adapter
- Shares 4 USB peripherals between 2 computers

3694 USB 2.0
- Ideal for connecting 2 computers to your USB devices
- Individual toggle switches to select USB devices for each computer
- 100% hot-swappable
- Two 6 ft. USB A / B cables included

USB HUBS

7 PORT HI SPEED HUB
3826 USB 2.0
- Compact size ideal for both desktop and notebook computers
- Versatile bus or AC powered with over-current protection

CALMELO 7 PORT HI SPEED HUB
34797
- Slim and sleek design
- Detachable base allows for mobile use
- Base locks hub into upright position, perfect for connecting USB peripherals
- Mirrored front panel

SAITEK 4 PORT UFO HUB
3790 Pink 3791 Orange
3789 Yellow 3792 Blue
3788 Green
- Powered through USB cable - no external power required
- Ideal for use with large digital data files
- Compatible with all USB devices

BLUETOOTH

BLUETOOTH ADAPTER
3697
- Class 2, Specification: v2.0
- Interface: USB v1.1/2.0
- Power: DC 5v from host
- Frequency: 2.4 ~ 2.4835 GHz

BLUETOOTH HEADSET
34791
- Wireless freedom with high-fidelity audio
- Long-life battery with 150 hour standy time
- Includes charging station, two ear piece sizes, and attachable lanyard

© 2009 Tomauri Inc. All Rights Reserved

Call 1-800-268-4049 or visit www.tomauri.com for pricing

USB PERIPHERALS

CARD READERS

61-IN-1 CARD READER/WRITER
34749 USB 2.0
- Slot-to-Slot read/write operation
- Compatible with CompactFlash, Microdrive, Memory Stick, MagicGate, SecureDigital and Multimedia

CALMELO CARD READER
34798
- Slim and sleek design
- Mirrored front panel
- Slot-to-slot read/write/copy
- Supports automatic card detection, hot swapping and Plug and Play

40-IN-1 MOBILE CARD READER/WRITER
34629
- Automatic card detection helps to easily access and manage content
- Compatible with Memory Stick, Secure Digital, MultiMedia and XD

24-IN-1 MOBILE CARD READER/WRITER
34796
- Easily access media and manage content almost anywhere with slot-to-slot read/write/copy and USB mass storage capabilities
- Data transfer rate up to 480 Mbps

24-IN-1 PC MULTI-CARD READER/WRITER
34854
- Includes slot-to-slot read/write/copy and USB mass storage capabilities
- Fits computers equipped with ExpressCard/34 and /54 slots
- Compatible with Memory Stick, SecureDigital, MultiMedia and XD

USB 2.0 BAY MOUNT CARD READERS
34337 Beige 3.5”
34391 Black 3.5”
34392 Beige 5.25”
34393 Black 5.25”
- Easily access cards and manage content with slot-to-slot read/write/copy capability
- Compatible with CompactFlash, Microdrive, Memory Stick, SD, SmartMedia, XD and TransFlash

USB 2.0 SLIM MULTI-CARD READER/WRITER
34750
- Slot-to-slot read/write/copy and USB mass storage capabilities
- Supports automatic card detection and data transfer speeds up to 480 Mbps

HARD DRIVE ENCLOSURES

USB 2.0 HD ENCLOSURES
34688 2.5”
34760 3.5”
34793 5.25”
- Supports Hi-Speed USB 2.0 data transfer rates of up to 480 Mbps
- Lightweight, compact design requires no external power adapters for increased portability
- Sturdy aluminum case protects drive and facilitates cooling
- Windows and Mac compatible
- Plug and Play, hot swappable

SATA HD ENCLOSURES
34755 2.5” Black
34757 3.5” Black
- Supports data transfer rates for up to 480 Mbps
- Lightweight, compact design ideal for portable storage
- Sturdy aluminum case protects drive and facilitates cooling
- Easy, quick installation
- Windows and Macintosh compatible, Plug and Play, hot swappable

eSATA HD ENCLOSURES
34692 2.5” Silver
34756 3.5” Black, USB 2.0
- Supports SATA data transfer rates of up to 3 Gbps
- Lightweight, compact design
- Windows and Macintosh compatible, Plug and Play, hot swappable
- SATA L-type internal data and power connections
- eSATA I-type external connections

USB EXTERNAL FLOPPY DISK DRIVE
3567
- Slim design is perfect for desktop and notebook computers
- Plug and Play - automatic detection and installation
- No external power required
- Windows 98/2000/ME/XP compatible

© 2009 Tomauri Inc. All Rights Reserved

USB ADAPTERS

ADAPTERS

USB 2.0 TO SATA 150
3803
- Connects one SATA 150 drive to a Hi-Speed USB 2.0 port to quickly transfer, back-up and store files
- Supports data transfer SATA 150 speeds up to 1.5 Gbps and Hi-Speed USB 2.0 speeds up to 480 Mbps
- Plug and Play; hot-swappable

USB 2.0 TO SATA
3807 with power supply
- Easily connects a SATA 150 or IDE external drive to a Hi-Speed USB 2.0 port to quickly transfer, back up and store files
- Transfers data between SATA 150 and IDE external drives when both are simultaneously attached

USB 2.0 TO IDE CABLE
3729 with power supply
- Connects IDE external device to a USB 2.0 port to transfer, back up and store files
- Data transfer speeds of up to 480 Mbps
- Fits external IDE and enhanced IDE hard disks and CD/DVD drives up to 5.25"

CONVERTERS

USB TO SERIAL CONVERTER
3604 1 Port
- Connects any serial device to USB port
- Supports baud rates from 1.2 k to 115.2 k

USB TO SERIAL CONVERTER
3809 2 Port
- Connects up to two modems, Palm PCs, digital cameras or any serial (RS-232) devices to a USB port
- Supports baud rates from 1.2 k to 115.2 k

USB TO PRINTER ADAPTER
3373 Centronics36, 6'
3677 DB25, 6'
- Creates a printer compatible port



USB TO 2 PS/2 CABLE
3448
- Either PS/2 port can be used with a PS/2 Keyboard or PS/2 Mouse

USB 2.0 VGA CONVERTER
3806
- Allows an additional video display
- Supports Standard Monitor Resolutions of up to 1600 x 1200 in 16 and 32-bit colour

USB ACTIVE CABLING

HI SPEED USB 2.0 EXT. CABLE
3808 AB MM 36'
- Extends and boosts the signal to any USB device – supports data transfer speeds up to 480 Mbps

USB 2.0 EXTENSION CABLE
3566 16'
- Boosts signal for long distance runs
- Bus powered - no external power needed

USB LINE EXTENDER
3548 150'
- Extends the distance to any USB device by up to 150 ft.
- Embedded transceivers enhance signal and prevent signal loss

USB 2.0 FILE TRANSFER CABLE
3780 7'
- Quickly and easily transfer files via USB ports - ideal for transferring data between Windows XP and Vista-equipped computers

REMOVABLE HD BRACKETS

2116 IDE RH-007 - 7,200 RPM
2295 IDE RH-06 - 7,200 RPM
2117 IDE RH-32 - 7,200 RPM
2404 SATA/IDE RH-32 - 7,200 RPM
2630 SATA RH-38 SAC - 7,200 RPM
34336 SATA RH-38 SAC - 7,200 RPM, Black

- Swing flap front cover & mechanical key lock
- Dimensions: 210 x 146 x 42mm

LIAN LI

UNIVERSAL BEZELS
2420 CD/DVD, Silver
2421 CD/DVD, Black
2418 Floppy, Silver
2419 Floppy, Black

BLOWER/AIR DUCTS
34339 Air Duct - Silver, 12 cm

© 2009 Tomauri Inc. All Rights Reserved

MULTIMEDIA & INPUT DEVICES

MULTIMEDIA

USB MINI WEB CAMERA
3726
- Capture and share photos and video
- Software simplifies settings and operation
- Resolutions up to 640 x 480 Capable of up to 30 frames per second
- Built-in image compression
- Ready to use — Plug and Play installation

USB MIN CAM WITH HEADSET
3804
- Capture and share photos and video
- Software simplifies settings and operation
- Headset with built-in microphone and flexible boom for hands-free conversations

USB TRAVEL FLEX CAMERA
3563
- Attach to notebook for face to face communication via the Internet
- Includes user friendly photo editing/ greeting card software

USB 2.0 AUDIO AND VIDEO GRABBER
3562
- Capture audio/video from any S-Video, RCA or analog source
- Universal compatibility
- Editing software included

BARCODE SCANNERS

CONTACT CCD BARCODE SCANNER
3556 PS/2
3557 USB
- 80mm Read Width
- Built in keyboard wedge decoder

LONG RANGE CCD BARCODE SCANNER
3558 PS/2
3559 USB
- Reads barcodes up to 12" away
- Keyboard wedge decoder
- Easy to use, no software required

BARCODE SCANNER STAND
3565
- Adjustable neck
- Keeps counter space neat and organized

TV TUNERS

TV TUNER/ CAPTURE CARD
3764
- Watch television and listen to FM radio on your computer
- Up to 200 channels available
- Capture video in AVI format at up to 640x480 resolution
- Wireless remote control with receiver, FM antenna, and software included
- Card includes: IR sensor input, FM input, Cable input, Audio output, S-Video input, RCA video input, Audio input
- Package Includes: PCI Card, Remote Control, Software and driver disk, Audio Cable, RF Cable, Users Manual, FM Antenna, IR Sensor Cable

EXTERNAL TUNER BOX
3740
- Watch broadcast, cable or satellite TV on LCD/CRT/plasma monitor or projector
- Directly connects to monitor or projector — no computer, software or driver required
- Built-in TV tuner and video ports support DVD, game consoles and digital cameras
- Enhanced 3D motion-adaptive de-interlacing delivers clear, stable images with up to 1280 x 1024/1440 x 960 resolution
- Easy installation and function control with automatic source mode detection, automatic channel scanning and programming, adjustable high-resolution output mode and multi-language on-screen display
- Full-function remote control selects channels, input source, volume and more from anywhere in the room
- Package Contents Included: LCD TV Converter/Tuner with stand, Remote control (battery included), 8-pin to DB15 and audio cables, Power adapter, User manual

© 2009 Tomauri Inc. All Rights Reserved

HDMI DEVICES

HDMI SWITCH

3773 2 Port
3774 4 Port

- Easily select between multiple high-definition sources sharing one monitor
- Eliminates cable swapping to reduce high-performance cable and port damage
- Keeps devices connected and ready to use
- Maintains highest single link resolutions for clear, sharp images – up to 1080p or WUXGA (1920 x 1200; 1.6:1)
- Four-function remote control and DDWG and HDCP compliant
- Plug and Play; no installation software required
- DC 9 V / 500 mA power adapter; remote control, 2 I/O cables, 1,8 m (6 ft.) included

HDMI REPEATER

3775

- Easily extends HDMI cable up to 50 m (165 ft.) for convenient monitor or projector placement
- Maintains multiple HD resolutions for clear, sharp images
- Single-box extension solution boosts and equalizes digital transmissions to help reduce "sparkles"
- DDWG and HDCP compliant
- Plug and Play; no installation software required
- DC 4.5 V / 350 mA power adapter and manual included

HDMI :

Take your HDTV to the next level with HDMI technology, the new connectivity standard in digital consumer electronics, delivering the most vivid and richest viewing experience available today in your living room. High Definition Multimedia Interface (HDMI) technology is the latest digital interface that provides HD video and multi-channel audio through a single cable

SEE P6. 38 FOR PREMIUM HDMI CABLES

DVI VIDEO SPLITTERS

DVI VIDEO SPLITTERS

3776 2 Port
3777 4 Port

- 200 MHz signal bandwidth – supports single and dual DVI signals
- DVI-I female connections fit analog or digital monitors
- Computer-to-splitter range: 1.8 m (6 ft.)
- Video splitter-to-monitor range: 1.8 m (6 ft.)
- Connectors: 3 DVI-I female
- Supports DDWG standards and resolutions up to 1600 x 1200 (DDBC2B) and
- VGA, SGVA, XGA signal types
- Cascades up to four splitters
- 73 x 121 x 24 mm (3.0 x 4.75 x 0.95 in.); 272 g (9.6 oz.)
- Package contents: DVI Video Splitter and 12 V DC / 500 mA power adapter

VGA VIDEO SPLITTERS

VGA VIDEO SPLITTERS

3778 2 Port
3779 4 Port

- 350 MHz signal bandwidth
- Automatic power save when VGA input is lost
- HD15 connections
- Computer-to-video splitter range: 7.5 m (25 ft.)
- Video splitter-to-monitor range: 65 m (210 ft.)
- Connectors: 1 HD15 male, 2 HD15 female (gold plated)
- Supports up to 1920 x 1440 resolution and VGA, SGVA, multi-sync signal types

© 2009 Tomauri Inc. All Rights Reserved

DESKTOP SOLUTIONS

3786

DIGITAL SCRIBES

3786 Wired
3812 Wireless

- The first device ever to capture natural handwriting from any surface, and store it in the receiver for future use
- No special notepad, digital pad, or ink is required
- Included handwriting recognition software (OCR software) turns your handwriting into digital text
- Full editing capabilities allow you to easily modify your notes
- Write on any paper up to Letter or A4 size
- 12 OCR languages supported

3812

KEYBOARD & MOUSE COMBOS

34818

34478

WIRELESS OPTICAL MOUSE & KEYBOARD COMBOS

34478 Up to 33' Wireless Range (2.4 GHz)
34819 Up to 33' Wireless Range (2.4 GHz)
34818 Up to 33' Wireless Range (2.4 GHz) (French Keyboard)

- Control keyboard and mouse with one single USB receiver
- Ultra thin, stylish, and portable with reprogrammable function and Hotkeys

COMPACT DESKTOP MOUSE/ KEYBOARD COMBO

34737

- Compact slim-line design: compact key placement for maximizing desk space
- Low action keys offers more comfort and ease of use, 13 Multimedia hotkeys
- High resolution 800 dpi optical sensor mouse

ULTRA THIN WIRED MOUSE/ KEYBOARD COMBO

34736

- Ergonomic Low Profile and Slick Design
- Rubber Coating for Durability
- Mouse: 800 dpi high resolution optical sensor delivers precise cursor movement and can be used on most surfaces

MICE

MINI OPTICAL MOUSE

2534 USB

- This lightweight portable mouse is well suited for mobile professionals
- Superior optical sensor tracks movement 1500 times per second

LASER MOUSE

34238 USB, 5 Button

- Advanced laser technology provides 30x more accuracy than optical mouse
- Super high resolution of 1600dpi reduces hand/wrist movement
- Convenient back and forward side-buttons for web browsing
- Instant Access button
- Use on almost any surface
- Ergonomically contoured design

WIRELESS LASER MOUSE

34539

- 30x more tracking power
- Ergonomically contoured design
- 6 feet (2 meter) wireless range
- On/Off switch for power saving
- Works on almost any surface, including glass

LASER RETRACTABLE TRAVEL MOUSE

34774

- Advanced laser technology provides 30x more tracking power
- Use this mouse on almost any surface
- Super high resolution of 1600dpi reduces hand movement
- Retractable cable cuts down cable clutter

HUBS

3542

3607

SLIM USB 2.0 HUBS

3607 4 Port
3542 4 Port with power adapter

- 4 USB 2.0 ports for easy expansion
- Supports a data transfer rate of up to 480 Mbps

USB 2.0 HUB

3612 7 Port

- 7 high-speed USB 2.0 ports
- Data transfer rate of up to 480 Mbps
- USB 2.0 cable included

© 2009 Tomauri Inc. All Rights Reserved

CARD READERS

USB 2.0 15-1 MEMORY CARD READER/WRITER

2555

- For use with digital cameras, palmtop PCs, handheld PCs, PDAs etc

MICRO SD POCKET CARD READER

34474

- Solution for hi-speed, bi-directional image and data transfer
- Images and data can be transferred quickly from Micro Secure Digital Cards (microSD)/ TransFlash Cards memory cards to PCs or Macs

USB 2.0 SD CARD READER

34706

- Functions as a portable USB Flash Drive or card reader
- Read and write to SD and MMC cards
- USB 2.0 compatible
- Bus powered, no external power needed

MOBILITY

BLUETOOTH CLASS 2 WIRELESS HEADSET

34471

- Enables you to wirelessly place and receive calls on your cell phone
- Built-in re-chargeable battery for 4.5 hour talk time
- Also functions as a headset for your Bluetooth-enabled PC or PDA

BLUETOOTH WIRELESS STEREO HEADPHONES

34826

- Maximum wireless range up to 33 ft.
- Supports MP3-quality stereo sound
- Works with Bluetooth mobile phones and allows you to pick up incoming calls even during music playback

BATTERY TESTER

34825

- Light weight and compact
- No Battery Required
- Reads: AA, AAA, C, D, N, 1.5 Volt, 9 Volt & rechargeable batteries

EMERGENCY CHARGER

34824

- Rescue your cell phone or mobile device from power failure
- Uses one AA battery
- Mini-USB output for most USB charging devices

MOBILE POWER

MOBILE POCKET POWER

34723

- Light weight and portable mobile battery pack
- Work with most mobile phones, iPOD, MP3 players, PDA, Bluetooth headsets, and other mobile devices
- Rechargeable cycle up to 500 times

HDMI SWITCHES

HDMI SWITCHES

3746 2 Port
3747 4 Port

- Enables you to have a cleaner and simpler home entertainment setup by eliminating cable clutter
- Highest Video Quality with 1080p resolution
- 2.25Gbps bandwidth for higher resolution and color depth video
- Supports DVI devices with an adapter
- Includes a 6ft HDMI cable

VIDEO SPLITTERS

3471

3472

3473

VGA VIDEO SPLITTERS

3471 2 Port
3472 4 Port
3473 8 Port

- Signal booster and splitter that takes video input from a single source and directs it to up to 8 video outputs for monitors using analog signals
- Extend distance to about 215' away, holding original signal quality
- Ultra High 250 MHz Bandwidth
- Instant installation with no software required
- Hot plug capability, hot swappable, Plug-N-Play
- Compact design for easy placement with all metal housing

DVI VIDEO SPLITTERS

3748 2 Port
3749 4 Port

- Simultaneously broadcast video across 2 displays
- Supports both Analog & Digital video signal plus Audio

PORTABLE MEDIA

PORTABLE MEDIA PLAYER

3838

- Carry your multimedia content with you everywhere
- Enhances standard definition video playback viewing up to 720p resolution on an HDTV
- Built-in controls for your media

© 2009 Tomauri Inc. All Rights Reserved

KVM SWITCHES

MINI USB KVM SWITCH
3724 4 Port
- Control up to 4 computers
- Expandable & extendable: Two 6' molded-in cables and two detachable cables
- 2048 x 1536 video resolution support

COMPACT USB VGA KVM
3840 2 Port
- One USB keyboard, USB mouse, and
- VGA monitor control two computers
- Compact design features two attached KVM (USB and VGA) cables
- Max resolution: 2048 x 1536, DDC2B

MICRO PS/2 KVM
3435 2 Port
- Use 1 keyboard, mouse and monitor to control 2 PC or Mac systems
- 6' long molded-in cables

MICRO USB KVM SWITCH WITH AUDIO
3554 2 Port
- Allows you to control 2 computers with 1 mouse, keyboard or monitor
- 6' long molded-in cables

KVMP SWITCH WITH USB 2.0 HUB AND AUDIO
34860 2 Port
- Dual interface - supports computers with PS/2 or USB keyboard and mouse configurations
- Audio enabled - full bass response provides 2.1 stereo sound

MINI VIEW MICRO DVI-D KVM W/ AUDIO
3785 2 Port
- Allows you to control 2 computers with 1 mouse, keyboard or monitor
- 6' long molded-in cables

DESKTOP KVM SWITCHES

PS/2 KVM SWITCH
3340 4 Port
- Software free, operating system - independent operation
- Compatible with PCs and Macs
- Supports video resolutions of up to 1920 x 1440
- Includes all necessary cables

3592

USB / PS/2 MINIVIEW EXTREME KVM SWITCH
3591 2 Port
3592 4 Port
- Control additional USB or PS/2 computers with one keyboard, mouse or monitor
- Unique peripheral sharing and audio support features
- 2 and 4 port include USB KVM Cables

8 PORT KVM SWITCHES
3606 PS/2 with OSD & Cables
3725 PS/2 with Cables
- Control up to 512 computers with one keyboard, mouse and monitor
- Connected computers can be added or removed from the setup without disturbing the other computers

MINIVIEW PS/2 KVM DESKTOP SWITCH
3492 4 Port
- Front-mounted console
- PS/2 Ports
- Premium bonded KVM cables included

CONSOLE EXTENDER

CONSOLE EXTENDER
34475 PS/2
- Perfect for moving the console away from the computer or the KVM allows remote access of up to 500ft away via CAT5e cables
- Auto Signal Compensation (ASC) helps make installation easy, with no need to configure dip switches
- Dual console operation - control your system from both the local and remote keyboards, mice, and monitors

3679

MINIVIEW SYMPHONY KVM SWITCH
3678 2 Port
3679 4 Port
- Integrates a USB 2.0 hub, Ethernet switch, and audio
- Controls multiple computers with a single VGA monitor,
- USB keyboard and mouse
- Built-in peripheral sharing to share printers, scanners, hard drives, etc., with data transfer rates of up to 480 Mbps
- Built-in 10/100 Mbps Ethernet switch
- Superior video quality - up to 2048 x 1536

2 PORT DUAL DISPLAY KVM
3659
- One dual monitor console controls two dual monitor computers
- Additional VGA display channel provided for dual display of each monitor
- Additional USB peripheral ports for connected computers to share USB devices

© 2009 Tomauri Inc. All Rights Reserved